


IPG SYSTEM -1280 1200X800X1200

THE SMART PALLET CONTAINER



IPG SYSTEM - 1280




Hang in lid


- Space saving on site
- Plus in terms of ergonomics and handling

Smart stacking

- Fast and safe simple stacking
- Folded sleeves are stacked inside a built-up container



+



Hang in lid

- Saving of space at the place of use
- Extra ergonomics and easy handling


IPG SYSTEM -1280



TECHNICAL DATA

- External dimensions: 1200x800x1200 mm
- Internal dimensions: 1156x756x1030 mm
- Volume: 622 L
- Tare weight: 29 kg
- Empties height: -
- Fodling system: Classic
- High rack (without base): No

CAPACITY UTILISATION - MEGA TRAILER
Full: 99




LOADS:

- Payload max: 250 kg
- Stacking load (max): 1 150 kg
- Stacking factor: 1+4

Empty: 462

79 % VOLUME-REDUCED



LOGISTICAL AND TRANSPORT:

- Return rate: 1:4,7
- Volume reduction: 79 %



SANDWICH	PALLET	SLEEVE	LID
Material	PE	PP	PE
Grammage	-	3000 g/m ²	-
Equipment further options available	Open surface, 9 feet 4 way entry pallet Drainage holes	M-folding 1 flap door 600x350 mm 2 label holders A5	2 handles black Suspension lugs



1+4 IN BLOCK STORAGE



1+2



1+13

IN THE MEGA TRAILER



IPG **RETURN PACKAGING** CONCEPT
AN **ECONOMY** INSPIRED BY THE
CYCLUS OF **NATURE**



WWW.IP-GROUP.NO

